

2021-10-27

Expecting More Spillovers, Zoonoses, Diseases and Deaths: Is the Future so Dark?

D. Katterine Bonilla-Aldana

Fundación Universitaria Autónoma de las Américas, katterine.bonilla@utp.edu.co

Wilmer E. Villamil-Gómez

Universidad del Atlántico, hrsincelejo@telecom.com.co

Alfonso L. Rodríguez-Morales

Universidad del Atlántico, Barranquilla, Colombia, alfonso.rodriguez@uam.edu.co

Follow this and additional works at: <https://ciencia.lasalle.edu.co/mv>



Part of the [Agriculture Commons](#), [Animal Sciences Commons](#), and the [Veterinary Medicine Commons](#)

Citación recomendada

Bonilla-Aldana DK, Villamil-Gómez WE y Rodríguez-Morales AL. Expecting More Spillovers, Zoonoses, Diseases and Deaths: Is the Future so Dark?. *Rev Med Vet.* 2021;(44):. doi: <https://doi.org/10.19052/mv.vol1.iss44.1>

This Editorial is brought to you for free and open access by the Revistas científicas at Ciencia Unisalle. It has been accepted for inclusion in Revista de Medicina Veterinaria by an authorized editor of Ciencia Unisalle. For more information, please contact ciencia@lasalle.edu.co.

<https://doi.org/10.19052/mv.vol1.iss44.1>

Editorial

Expecting More Spillovers, Zoonoses, Diseases and Deaths: Is the Future so Dark?

How to cite this article: Bonilla-Aldana DK, Villamil-Gómez WE, Rodríguez-Morales AJ. Rev Med Vet. Expecting More Spillovers, Zoonoses, Diseases and Deaths: Is the Future so Dark? Rev Med Vet. 2021;(44). Available in: <https://doi.org/10.19052/mv.vol1.iss44.1>

Over the last decades, zoonoses have increased in number and magnitude (1, 2). For a long time, the aetiology of infections transmitted between animals and humans has been diverse, including multiple organisms such as bacteria, viruses, parasites, fungi, and even prions (3-6). The turnover of recent events has led to multiple pathogens jump from animals and humans and cause infection, disease and even death (7, 8). Many of them previously did not affect humans (9). Then, the spillover is a genuine threatening concern that is also associated with emerging epidemics and pandemics, such as those recently affecting globally, as occurred with Swine A H1N1 Influenza in 2009 or the current Coronavirus Disease 2019 (COVID-19), that has led to the most significant social disruption in over the last century, only compared with the 1918 H1N1 Influenza pandemic (5, 10, 11). COVID-19 has affected more than 182 million people globally, causing almost four million deaths (June 30, 2021).

Most of this, not saying probably all, is due to human actions (12-14). We have the fault. These events are linked to disordered human development and their consequences, as the anthropogenic impacts on the environment, led to climate change (15). We are responsible for this situation. As it was wisely stated by a fictional character of the Netflix's series Dark (16) the Stranger: "In the end,



we will all get just what we deserve", and as another character in that acclaimed series said: "Things only change when we change them. But you have to do it" (Mikkel Nielsen). That means we need to change the course of the events actively. Unbalanced and vulnerable social and environmental issues that are prone, or multiple risk factors, eventually led to emerging and re-emerging zoonoses. As occur with many tropical diseases, and global public health threats, the determinants are especially social and environmental (17-19). Zoonoses are indeed socio-environmental diseases (20). Among zoonoses, many of them, such as Ebola, rabies, multiple viral haemorrhagic fevers, have a high case fatality rate (5, 17-19).

How to avoid this in the near future? How to arrest a Dark future? A future where multiple scenarios or realities may become the worst nightmares of microbe hunters, physicians, veterinarians, and other infectious diseases. Maybe is not too late, but education on these topics, substantial investment in research, enhanced human-animal-environment interfaces surveillance with a One Health approach, as well as better diagnostic approaches (multiplex) and therapeutics and vaccines, are urgently needed to avoid a near-apocalyptic future (20-24). "There are moments when we must understand that the decisions we make influence more than just our own fate" (Claudia Tiedemann character)(16). We need to make the right decisions right now, on all levels, locally, nationally, regionally and globally. A multidisciplinary approach must prevail in all the public policies that should address the concerns of zoonotic diseases, known and unknown.

There are no reasons to consider that we will not witness more spillovers and new zoonoses in the future. Recently, with alpha and delta coronaviruses, new potential zoonoses, in addition to COVID-19, have been reported from canine and swine species in humans, respectively, in Malaysia and Haiti, in reports published in 2021, but corresponding with samples of patients in 2017-2018



and 2014-2015, respectively. Then, research on coronavirus beyond COVID-19 is needed not only in those countries but globally (25, 26).

With COVID-19, not only animal to human transmission occur, but the opposite. Studies have shown that even in Latin America, especially domestic cats may become infected from humans with COVID-19 (27). Human-to-cat transmission of the Severe Acute Respiratory Syndrome coronavirus 2 (SARS-CoV-2) occurred during the COVID-19 pandemic in multiple countries and continents (28, 29). Other domestic animals, such as dogs, are also affected (30, 31). In other settings, such as farms, minks have become among the most frequently infected animals, and the COVID-19 pandemic has led to devastating animal and economic losses, especially in Europe (31). Wildlife, domestic animals and pets are susceptible and suffering from these spillovers from humans to animals during the COVID-19 pandemic (33, 34).

At the same time, interactions between pathogens have also led to coinfections, including those with COVID-19, such as dengue and less considered viral pathogens, such as Lassa (35, 36). With viruses previously considered more anthroponotic, such as dengue, growing evidence indicates multiple animals may serve as reservoirs, implying potential zoonotic cycles in some ecological sites (37).

"But it ain't the end of the world" (George Segal and Blu Mankuma song played in the Roland Emmerich's film 2012, 38), yet, nevertheless we need to work on this in multiple ways and improve our world, reset the suitable balance between human, animal and environmental health, and make the development ecologically-friendly and sustainable as ideally desired.



REFERENCES

1. Bonilla-Aldana DK, Villamil-Gómez WE, Rabaan AA, Rodriguez-Morales AJ. Una nueva zoonosis viral de preocupación global: COVID-19, enfermedad por coronavirus 2019. *Iatreia*. 2020;33(2): 107-110. Available from: <https://doi.org/10.17533/udea.iatreia.85>
2. Cárdenas R, Sandoval CM, Rodríguez-Morales AJ, Vivas P. Zoonoses and climate variability. *Ann N Y Acad Sci*. 2008;1149: 326-330. Available from: <https://doi.org/10.1196/annals.1428.094>
3. Ahmad T, Khan M, Haroon, Musa TH, Nasir S, Hui J, et al. COVID-19: Zoonotic aspects. *Travel Med Infect Dis*. 2020: 101607. Available from: <https://doi.org/10.1016/j.tmaid.2020.101607>
4. Benitez JA, Rodríguez-Morales AJ, Vivas P, Plaz J. Burden of zoonotic diseases in Venezuela during 2004 and 2005. *Ann N Y Acad Sci*. 2008;1149: 315-317. Available from: <https://doi.org/10.1196/annals.1428.051>
5. Rodriguez-Morales AJ, Paniz-Mondolfi AE, Faccini-Martínez Á A, Henao-Martínez AF, Ruiz-Saenz J, Martinez-Gutierrez M, et al. The Constant Threat of Zoonotic and Vector-Borne Emerging Tropical Diseases: Living on the Edge. *Frontiers in tropical diseases*. 2021;2: 676905. Available from: <https://doi.org/10.3389/fitd.2021.676905>
6. Soler D, Brieva C, Ribón W. Mycobacteriosis in wild birds: the potential risk of disseminating a little-known infectious disease. *Rev Salud Publica (Bogotá)*. 2009;11(1): 134-144. Available from: <https://doi.org/10.1590/S0124-00642009000100014>
7. Dhama K, Patel SK, Sharun K, Pathak M, Tiwari R, Yattoo MI, et al. SARS-CoV-2 jumping the species barrier: Zoonotic lessons from SARS, MERS and recent advances to combat this pandemic virus. *Travel Med Infect Dis*. 2020;37: 101830. Available from: <https://doi.org/10.1016/j.tmaid.2020.101830>
8. Rodriguez-Morales AJ, Bonilla-Aldana DK, Balbin-Ramon GJ, Paniz-Mondolfi A, Rabaan A, Sah R, et al. History is repeating itself, a probable zoonotic spillover as a cause of an epidemic: the case of 2019 novel Coronavirus. *Infez Med*. 2020;28(1): 3-5.



9. Jeyaprakasam NK, Liew JWK, Low VL, Wan-Sulaiman WY, Vythilingam I. Plasmodium knowlesi infecting humans in Southeast Asia: What's next? PLoS Negl Trop Dis. 2020;14(12): e0008900. Available from: <https://doi.org/10.1371/journal.pntd.0008900>
10. Morens DM, Taubenberger JK, Fauci AS. A Centenary Tale of Two Pandemics: The 1918 Influenza Pandemic and COVID-19, Part I. Am J Public Health. 2021;111(6): 1086-1094. Available from: <https://doi.org/10.2105/AJPH.2021.306310>
11. Koçer ZA, Carter R, Wu G, Zhang J, Webster RG. The Genomic Contributions of Avian H1N1 Influenza A Viruses to the Evolution of Mammalian Strains. PLoS ONE. 2015;10(7): e0133795. Available from: <https://doi.org/10.1371/journal.pone.0133795>
12. Chua KB, Chua BH, Wang CW. Anthropogenic deforestation, El Nino and the emergence of Nipah virus in Malaysia. Malays J Pathol. 2002;24(1): 15-21.
13. Suárez J, Carreño L, Paniz-Mondolfi A, Marco-Canosa F, Freilij H, Riera J, et al. Infectious diseases, social, economic and political crises, anthropogenic disasters and beyond: Venezuela 2019–implications for public health and travel medicine. Rev Pan Enfermedades Infecciosas. 2018;1(2).
14. Hosie MJ, Hofmann-Lehmann R, Hartmann K, Egberink H, Truyen U, Addie DD, et al. Anthropogenic Infection of Cats during the 2020 COVID-19 Pandemic. Viruses. 2021;13(2). Available from: <https://doi.org/10.3390/v13020185>
15. Bonilla-Aldana DK, Suárez JA, Franco-Paredes C, Vilcarromero S, Mattar S, Gómez-Marín JE, et al. Brazil burning! What is the potential impact of the Amazon wildfires on vector-borne and zoonotic emerging diseases? - A statement from an international experts meeting. Travel Med Infect Dis. 2019;31: 101474. Available from: <https://doi.org/10.1016/j.tmaid.2019.101474>
16. Odar B, Friese J. Dark [series]. Netflix. 2016.
17. Rodriguez-Morales AJ, Escalera-Antezana JP, Alvarado-Arnez LE. Is Plague Globally Reemerging? Infectio. 2019;23: 7-9. Available from: <https://doi.org/10.22354/in.v23i1.748>
18. Escalera-Antezana JP, Torres-Fernandez R, Montalvan-Plata D, Montenegro-Narvaez CM, Aviles-Sarmiento JL, Alvarado-Arnez LE, et al. Orthohantavirus pulmonary syndrome in Santa Cruz and



- Tarija, Bolivia, 2018. *Int J Infect Dis.* 2020;90: 145-50. Available from: <https://doi.org/10.1016/j.ijid.2019.10.021>
19. Escalera-Antezana JP, Rodriguez-Villena OJ, Arancibia-Alba AW, Alvarado-Arnez LE, Bonilla-Aldana DK, Rodriguez-Morales AJ. Clinical features of fatal cases of Chapare virus hemorrhagic fever originating from rural La Paz, Bolivia, 2019: A cluster analysis. *Travel Med Infect Dis.* 2020: 101589. Available from: <https://doi.org/10.1016/j.tmaid.2020.101589>
 20. OIE. One Health. 2020. Available from: <https://www.oie.int/en/for-the-media/onehealth/>
 21. Bonilla-Aldana DK, Dhama K, Rodriguez-Morales AJ. Revisiting the One Health Approach in the Context of COVID-19: A Look into the Ecology of this Emerging Disease. *Adv Anim Vet Sci.* 2020;8(3): 234-237. Available from: <https://doi.org/10.17582/journal.aavs/2020/8.3.234.237>
 22. Dhama K, Chakraborty S, Malik Y, Tiwari R, Kumar A, Rahal A, et al. One world, one health - Veterinary perspectives. *Advances in Animal and Veterinary Sciences.* 2013;1:5-13. Available from: <https://doi.org/10.1155/2014/508304>
 23. Dasgupta R, Tomley F, Alders R, Barbuddhe SB, Kotwani A. Adopting an intersectoral One Health approach in India: Time for One Health committees. *The Indian Jour Med Res.* 2021;153(3): 281-286.
 24. Bonilla-Aldana DK, Holguin-Rivera Y, Perez-Vargas S, Trejos-Mendoza AE, Balbin-Ramon GJ, Dhama K, et al. Importance of the One Health approach to study the SARS-CoV-2 in Latin America. *One Health.* 2020;10: 100147. Available from: <https://doi.org/10.1016/j.onehlt.2020.100147>
 25. Lednicky JA, Tagliamonte MS, White SK, Elbadry MA, Alam MM, Stephenson CJ, et al. Emergence of porcine delta-coronavirus pathogenic infections among children in Haiti through independent zoonoses and convergent evolution. *medRxiv.* 2021. Available from: <https://doi.org/10.1101/2021.03.19.21253391>
 26. Vlasova AN, Díaz A, Damtie D, Xiu L, Toh TH, Lee JS, et al. Novel Canine Coronavirus Isolated from a Hospitalized Pneumonia Patient, East Malaysia. *Clin Infect Dis.* 2021. Available from: <https://doi.org/10.1093/cid/ciab456>



27. Neira V, Brito B, Agüero B, Berrios F, Valdés V, Gutierrez A, et al. A household case evidences shorter shedding of SARS-CoV-2 in naturally infected cats compared to their human owners. *Emerg Microbes Infect.* 2021;10(1): 376-383. Available from: <https://doi.org/10.1080/22221751.2020.1863132>
28. Hosie MJ, Epifano I, Herder V, Orton RJ, Stevenson A, Johnson N, et al. Detection of SARS-CoV-2 in respiratory samples from cats in the UK associated with human-to-cat transmission. *Vet Rec.* 2021;188(8): e247. Available from: <https://doi.org/10.1002/vetr.247>
29. Klaus J, Palizzotto C, Zini E, Meli ML, Leo C, Egberink H, et al. SARS-CoV-2 Infection and Antibody Response in a Symptomatic Cat from Italy with Intestinal B-Cell Lymphoma. *Viruses.* 2021;13(3). Available from: <https://doi.org/10.3390/v13030527>
30. Perisé-Barrios AJ, Tomeo-Martín BD, Gómez-Ochoa P, Delgado-Bonet P, Plaza P, Palau-Concejo P, et al. Humoral responses to SARS-CoV-2 by healthy and sick dogs during the COVID-19 pandemic in Spain. *Vet Res.* 2021;52(1): 22. Available from: <https://doi.org/10.1186/s13567-021-00897-y>
31. Calvet GA, Pereira SA, Ogrzewalska M, Pauvolid-Corrêa A, Resende PC, Tassinari WS, et al. Investigation of SARS-CoV-2 infection in dogs and cats of humans diagnosed with COVID-19 in Rio de Janeiro, Brazil. *PLoS ONE.* 2021;16(4): e0250853. Available from: <https://doi.org/10.1371/journal.pone.0250853>
32. Boklund A, Hammer AS, Quaade ML, Rasmussen TB, Lohse L, Strandbygaard B, et al. SARS-CoV-2 in Danish Mink Farms: Course of the Epidemic and a Descriptive Analysis of the Outbreaks in 2020. *Animals : an open access journal from MDPI.* 2021;11(1). Available from: <https://doi.org/10.3390/ani11010164>
33. Maurin M, Fenollar F, Mediannikov O, Davoust B, Devaux C, Raoult D. Current Status of Putative Animal Sources of SARS-CoV-2 Infection in Humans: Wildlife, Domestic Animals and Pets. *Microorganisms.* 2021;9(4). Available from: <https://doi.org/10.3390/microorganisms9040868>
34. De Moraes HA, Dos Santos AP, Do Nascimento NC, Kmetiuk LB, Barbosa DS, Brandão PE, et al. Natural Infection by SARS-CoV-2 in Companion Animals: A Review of Case Reports and Current



- Evidence of Their Role in the Epidemiology of COVID-19. *Front Vet Sci.* 2020;7: 591216. Available from: <https://doi.org/10.3389/fvets.2020.591216>
35. Hasan MM, Costa A, Xenophontos E, Mohanan P, Bassey EE, Ahmad S, et al. Lassa Fever and COVID-19 in Africa: A double crisis on the fragile health system. *J Med Virol.* 2021.
36. Mejía-Parra JL, Aguilar-Martínez S, Fernández-Mogollón JL, Luna C, Bonilla-Aldana DK, Rodríguez-Morales AJ, et al. Characteristics of patients coinfecting with Severe Acute Respiratory Syndrome Coronavirus 2 and dengue virus, Lambayeque, Peru, May-August 2020: A retrospective analysis. *Travel Med Infect Dis.* 2021: 102132. Available from: <https://doi.org/10.1016/j.tmaid.2021.102132>
37. Calderón A, Guzmán C, Oviedo-Socarras T, Mattar S, Rodríguez V, Castañeda V, et al. Two Cases of Natural Infection of Dengue-2 Virus in Bats in the Colombian Caribbean. *Tropical medicine and infectious disease.* 2021;6(1). Available from: <https://doi.org/10.3390/tropicalmed6010035>
38. Emmerick R. 2012 [movie]. 2016.

D. Katterine Bonilla-Aldana

Semillero de Investigación en Zoonosis (SIZOO), Grupo de Investigación GISCA, Fundación
Universitaria Autónoma de las Américas, Pereira, Risaralda, Colombia.

Comité de Medicina Tropical, Zoonosis y Medicina del Viajero, Asociación Colombiana de Infectología,
Bogotá, Colombia.

✉ katterine.bonilla@utp.edu.co

 <https://orcid.org/0000-0002-9412-2556>

Wilmer E. Villamil-Gómez

Comité de Medicina Tropical, Zoonosis y Medicina del Viajero, Asociación Colombiana de Infectología,
Bogotá, Colombia.

Grupo de Investigación Enfermedades Infecciosas y Control de Infecciones, Hospital Universitario de
Sincelejo, Sincelejo, Sucre, Colombia.



Programa del Doctorado de Medicina Tropical, SUE Caribe, Universidad del Atlántico, Barranquilla,
Colombia.

 <https://orcid.org/0000-0002-5492-3455>


Alfonso J. Rodríguez-Morales

Programa del Doctorado de Medicina Tropical, SUE Caribe, Universidad del Atlántico, Barranquilla,
Colombia.

Grupo de Investigación Biomedicina, Facultad de Medicina, Fundación Universitaria Autónoma de las
Américas, Pereira, Risaralda, Colombia.

Maestría en Epidemiología Clínica y Bioestadística, Universidad Científica del Sur, Lima, Per.

✉ alfonso.rodriguez@uam.edu.co

 <https://orcid.org/0000-0002-5492-3455>

